


**C++ preprocessor for ST20 and T4/T8 transputers**

PRODUCT INFORMATION

**FEATURES**

- C++ cross-development for IBM PC and Sun 4 hosts.
- Conformance with the C++ 3.0 specification.
- Support for hardware run-time kernel via ANSI C libraries.
- Support for ST20 processors and T4/T8 transputers.
- Interactive symbolic debugging.
- Post-mortem symbolic debugging.
- Support for EPROM programming.
- Consistent tools across PC and Sun 4 hosts.

**APPLICATIONS**

- Embedded systems (both single and multiple processors).
- Porting of existing software and packages.
- Evaluation of ST20 and transputer processors.
- Scientific programming.

# 1 Product Overview

The C++ Preprocessor is derived from *C++ Language System* version 3.0.3 of UNIX System Laboratories Inc.

SGS-THOMSON Microelectronics has developed its own tools and libraries so that the C++ compiler, used in conjunction with the ANSI C Toolset, can be used to programme ST20 and transputer targets.

The C++ Preprocessor is available for two development platforms:

**ST20-SWC++/PC** C++ Preprocessor for IBM PC under MSDOS 5.0

**ST20-SWC++/SUN** C++ Preprocessor for Sun 4 under SunOS 4.1.3 or Solaris 2.4

## 1.1 C++

C++ is a general purpose programming language which has evolved from C. It combines the benefits of object orientated programming with the efficiency of C.

Its benefits include:

- Strong Type Checking

Helps reduce coding problems.

- Encapsulation

Constructing large applications is easier by using C++ classes. A C++ class is a user defined type which may contain data to represent the type, and member functions to implement operations on the type.

- Data Abstraction

Ease maintenance and product evolution by restricting access to a class's implementation details.

- Multiple Inheritance

Classes may inherit properties from other classes. This enables classes (and hence effort) to be reused.

- Dynamic Binding

Use function names consistently, independent of object type, as class members may be bound dynamically at run-time (virtual functions).

- Type-Safe Linkage

Provides function argument checking across different compilation modules. This enables the correct function to be acquired by a linker when several alternatives are available in the presence of function overloading.

- Parameterized Types (Template)

Allows users to define a type in terms of another, unspecified type, providing a facility for defining extensive standard libraries.

## 1.2 Use with the ANSI C toolset

The following capabilities of the ANSI C toolset can be used from C++:

- Target processor support library, including functions for using the hardware micro-kernel.
- Multiprocessor configuration tools, for building programs to run on networks of IMS T4xx/T8xx transputers.

## 2 C++ Product Components

### 2.1 Documentation

- User guide, describing how to use the Preprocessor;
- Product reference manual, describing this implementation of the C++ language;
- Library manual, describing the C++ class libraries supplied;
- Selected readings, consisting of technical memoranda on the C++ language;
- Handbook, which is a quick reference guide;
- Master index;
- Delivery manual, which includes an installation guide and host-specific information;
- Release notes, which give details of this release.

### 2.2 Software tools

In normal usage only the C++ driver will be called directly by a user, which calls the other tools as required.

- **iccxx** C++ compilation driver
- **igcpp** C++ preprocessor
- **icfxx** C++ compiler
- **imxx** C++ constructor linker
- **ifxx** C++ debug information filter
- Template instantiation set:
  - \* **ptcomp** Instantiation compile-time action
  - \* **ptlink** Instantiation link-time action
  - \* **tool1, tool2** Template repository tools

### 2.3 Software Libraries

**libcxx.lib** C++ iostream and C++ run-time support library

**libcplx.lib** C++ complex mathematics class library

### 2.4 Licensing

The ST20-SWC++ C++ Preprocessor is a single-user product.

No licence fee is charged for including C++ or ANSI C libraries in customer products when linked with customer applications using the SGS-THOMSON Microelectronics Limited linker, `ilink`. Example programs and other sources provided may be included in software products, but SGS-THOMSON Microelectronics Limited retain original copyright. Full licensing details are available from SGS-THOMSON Sales Offices, Regional Technology Centers and authorized distributors.

## 3 Product variants

### 3.1 IBM PC product

#### Product

- ST20-SWC++/PC C++ Preprocessor

#### Operating requirements

For PC-hosted cross-development, the following will be required:

- IBM PC with a 386 or higher processor or equivalent and a minimum of 8Mbytes of memory
- DOS 5.0 or later
- ST20-SWC/PC ST20 ANSI C Toolset version 1.0 or 2.0 or  
IMS D7414 ANSI C Toolset
- 4Mbytes of free disk space

#### Distribution media

Software is distributed on 1.44 Mbytes 3.5 inch IBM format diskettes.

### 3.2 Sun 4 product

#### Product

- ST20-SWC++/SUN C++ Preprocessor

#### Operating requirements

For Sun-hosted cross-development, the following will be required:

- Sun 4 workstation or server
- SunOS 4.1.3 or Solaris 2.4 or later
- ST20-SWC/SUN ST20 ANSI C Toolset version 1.0 or 2.0 or  
IMS D4414 ANSI C Toolset
- 4 Mbytes of free disk space

#### Distribution media

Software is distributed on 60 Mbyte QIC-24  $\frac{1}{4}$  inch data cartridges, in tar format.

## 4 Error Reporting And Field Support

ST20 development products are supported worldwide through SGS-THOMSON Sales Offices, Regional Technology Centers, and authorized distributors.

## 5 Ordering information

Description	Order Number
C++ Preprocessor for IBM PC	ST20-SWC++/PC
C++ Preprocessor for Sun 4	ST20-SWC++/SUN

Table 5.1 Ordering information

Information furnished is believed to be accurate and reliable. However, SGS-THOMSON Microelectronics assumes no responsibility for the consequences of use of such information nor for any infringement of patents or other rights of third parties which may result from its use. No license is granted by implication or otherwise under any patent or patent rights of SGS-THOMSON Microelectronics. Specifications mentioned in this publication are subject to change without notice. This publication supersedes and replaces all information previously supplied. SGS-THOMSON Microelectronics products are not authorized for use as critical components in life support devices or systems without express written approval of SGS-THOMSON Microelectronics.

© 1996 SGS-THOMSON Microelectronics - Printed in Italy - All Rights Reserved

IMS and DS-Link are trademarks of SGS-THOMSON Microelectronics Limited.

 is a registered trademark of the SGS-THOMSON Microelectronics Group.

SGS-THOMSON Microelectronics GROUP OF COMPANIES

Australia - Brazil - Canada - China - France - Germany - Hong Kong - Italy - Japan - Korea - Malaysia - Malta - Morocco  
The Netherlands - Singapore - Spain - Sweden - Switzerland - Taiwan - Thailand - United Kingdom - U.S.A.